

T. 2 N. R. 7 E. 2nd Mer.

T. 3 N. R. 7 E. 2nd Mer.

	377	378	378	379	379	380						
382	6	407	5	406	4	406	3	405	2	405	1	375
	402	403	403	404	404	405						
381	7	402	8	402	9	401	10	401	11	400	12	376
	398	398	399	399	400	400						
381	18	397	17	397	16	397	15	396	14	396	13	376
	393	394	394	395	395	395						
381	19	393	20	393	21	392	22	392	23	391	24	376
	389	389	389	389	389	389						
380	30	388	29	387	28	386	27	384	26	383	25	377
	388	388	386	385	384	383						
380	31	387	32	386	33	385	34	384	35	382	36	377
	374	373	373	373	373	373						
		374		374		375		375		375		375

³⁷⁴ ³⁷⁴ ³⁷⁵ ³⁷⁵
 The figures on the lines refer to the page.

351

Township N. 2 North, Range N. 7 East 2. Mer. Ind.
ch. lkr.

East Boundary. var. 6. 10' E.

Set post Cor. to Township 2 & 3 North, Range
7 & 8 East, from which

a W. Oak 36 in. dia. beam East 16 lkr. dist. &
a Gum 12 " " " N 44 W 46 " " Thence

South On E. boundary of Sec. 1

9.56 a Beech 14 in. dia.

23.07 Set a post in the N. line of the Illinois Grant
from which

a Beech 11 in. dia. beam S 42 1/2 E 25 lkr. dist. &

a Gum 17 " " " N 30 W 24 " "

Level thin Oak land. Sept. 23rd 1806

North Boundary. Sept. 25th 1806

West On Rand^m S. boundary of Sec. 36, T 3 N, R 7 E.

24.00 a Brook 4 lkr. wide Course S.

31.00 a do. 3 " " " S. E

40.00 Set temp^y. q. Sec. post

80.00 Set temp^y. Sec. post

1st half mile pretty good Oak land - last 1/2
Over level land, timber Oak, Beech, Poplar &c

West On Rand^m S. boundary of Sec. 35, T 3 N, R 7 E

40.00 Set temp^y. q. Sec. post

40.50 a Creek 5 lkr. wide Course N.

80.00 Set temp^y. Sec. post. First 1/2 mile level land
Oak, Poplar, Beech &c. 2nd half mile level rich land
timber Oak, Poplar, Beech &c.

West On Rand^m S. boundary of Sec. 34, T 3 N, R 7 E.

10.00 a Brook 3 lkr. wide Course N. N.

20.00 a do. 5 " " " N.

40.00 Set temp^y. q. Sec. post.

75.00 a Brook 5 lkr. wide Course North

T3 N. R7 E. 2^d Mer. Ind.

ch. lkr.

80.00 Set temp. post, Cor. to Sec. 33 & 34
 Level Beech land

West On Rand^m S. boundary of Sec. 33, T3 N. R7 E.

15.00 a Brook 25 lkr. wide Course N.

33.00 a Do 3 " " " N.

40.00 Set temp. gr. Sec. post

66.50 a Brook 6 lkr. wide Course N.

75.00 a Do 3 " " " N.E.

80.00 Set temp. Cor. to Sec. 32 & 33
 Level Beech land

West On Rand^m S. boundary of Sec. 32, T3 N. R7 E.

40.00 Set temp. gr. Sec. post

63.00 a Creek 50 lkr. wide Course N.E.

67.00 Do " " " " S.E.

71.00 Do " " " " N.E.

80.00 Set temp. Cor. to Sec. 31 & 32

Level land, timber Beech, Poplar &c

West On Rand^m S. boundary of Sec. 31, T3 N. R7 E.

40.00 Set temp. gr. Sec. post

83.00 fell 150 lkr. N. of Cor. to Township 2 & 3 N.
 Range 6 & 7 E. Good Oak land

East On true line S. boundary of Sec 31, T3 N. R7 E. ^{var. 5° 50' E.}

41.50 Set gr. Sec. post, from which

a Dogwood 6 in. diam. bear N13°W 15 lkr. dist. &

a Do 6 " " " S74°E 17 "

83.00 Set post Cor. to Sec. 31 & 32, from which

a Beech 30 in. diam. bear N25°E 21 lkr. dist. &

a Do 12 " " " S27°E 35 " "

East On true line S. boundary of Sec 32, T3 N. R7 E

353

T3 N. R7 E. 2.nd Mer. Indiana

ch^d. lkr.

- 40.00 Let q^r. Sec. post, from which
a Beech 16 in. diam. bear N85E8 lkr. dist. 8
a Poplar 33 " " " S87E44 " "
- 80.00 Let post Cor. to Sec. 32 & 33, from which
a Beech 18 in. diam. bear N61E25 lkr. dist. 8
a Do. 15 " " " S64W25 " "

East On true line S. boundary of Sec. 33, T3 N. R7 E

- 40.00 Let q^r. Sec. post, from which
a Gum 15 in. diam. bear N28W43 lkr. dist. 8
a Beech 15 " " " S39E48 " "
- 80.00 Let post Cor. to Sec. 33 & 34, from which
a W. Oak 16 in. diam. bear S67E16 lkr. dist. 8
a Beech 10 " " " N82E33 " "

East On true line S. boundary of Sec. 34, T3 N. R7 E

- 40.00 Let q^r. Sec. post, from which
a Beech 17 in. diam. bear N52E17 lkr. dist. 8
a Maple 8 " " " S70W34 " "
- 80.00 Let post Cor. to Sec. 34 & 35, from which
a Beech 16 in. diam. bear S56W10 lkr. dist. 8
a P. Oak 24 " " " N64E28 " "

East On true line S. boundary of Sec. 35, T3 N. R7 E

- 40.00 Let q^r. Sec. post, from which
a Beech 18 in. diam. bear North 11 in. dist. 8
an Ash 14 " " " S4E25 lkr.
- 80.00 Let post Cor. to Sec. 35 & 36, from which
a Beech 18 in. diam. bear S70E7 lkr. dist. 8
a Do 14 " " " N82E23 " "

East On true line S. boundary of Sec. 36, T3 N. R7 E.

- 40.00 Let q^r. Sec. post, from which
a Beech 16 in. diam. bear N7E7 lkr. dist. 8

T2N R7E. 2nd Mer. IndianaCh^t. Oak

a P. Oak 30 in. diam. bear N 32 E 18 lks. dist.
80.00 to Township Corner.

West Boundary

var. 5:50'E

North On E. boundary of Sec. 36, T2N, R6E.

13.30 leave the Grant, let post, from which
a W. Oak 7 in. diam. bear N 72 W 19 lks. dist. &
a Do. 7 " " " N 61 W 53 " "

40.00 let gr. Sec. post, from which
a W. Oak 10 in. diam. bear S 59 E 6 lks. dist. &
a Do. 12 " " " N 16 W 53 " "

59.00 a W. Oak 12 " "

80.00 let post cor. to Sec. 25 & 36, T2N, R6E, from which
a P. Oak 12 in. diam. bear N 57 W 19 lks. dist. &
a chest. Oak 15 " " " S 61 E 29 " "
Sand thin timber Oak &c.

North On E. boundary of Sec. 25, T2N, R6E.

7.50 a Brook 3 lks. wide Course N.E.

10.00 a W. Oak 15 in. diam.

15.00 a Brook 3 lks. wide Course N.W.

19.00 a Do 20 " " " E.

40.00 let gr. Sec. post, from which
a Yellow Pine 8 in. diam. bear N 35 E 4 lks. dist. &
a W. Oak 10 " " " S 80 W 30 " "

46.00 a Brook 3 lks. wide Course S.E.

48.00 a Do 3 " " " S.E.

52.00 a W. Oak 14 in. diam.

57.50 a Yellow Pine 15 in. diam.

73.00 a W. Oak in. diam. on the top of the highest hill
in all the country

80.00 let post cor. to Sec. 24 & 25, T2N, R6E, from which
a Ch^t. Oak 8 in. diam. bear South 14 lks. dist. &
a Yellow Pine 12 " " " N 14 E 50 " "

T2N R7E, 2^d. Mer. Indiana 355

ch² 11/4

North On E. boundary of Sec. 24, T2N, R6E

29.50 a Chestnut Oak 18 in. diam.

40.00 Set gr. Sec. post, from which

a W. Oak 13 in. diam. bear N 39 W 10 lks. dist. &

a Pine 6 " " " N 38 E 22 " "

50.00 a Brook 3 lks. wide Course N.W.

60.00 an Old indian path Course N.W.

80.00 Set post Cor. to Sec. 13 & 24, T2N, R6E, from which

a W. Oak 15 in. diam. bear S 39 W 23 lks. dist. &

a Maple 8 " " " N 81 E 27 " "

Poor Pine hills. August 20th 1806

North On E. boundary of Sec. 13, T2N, R6E

3.50 a Brook 10 lks. wide Course N.E.

33.00 a Do 30 " " " E.

40.00 Set gr. Sec. post, from which

a Beech 12 in. diam. bear S 70 E 43 lks. dist. &

a Do. 12 " " " N 55 W 43 " "

54.50 a W. Oak 16 " "

64.00 a Brook 3 lks. wide Course E.

80.00 Set post Cor. to Sec. 12 & 13, T2N, R6E, from which

an Ash 6 in. diam. bear S 82 W 22 lks. dist. &

a B. Oak 8 " " " S 17 W 33

1st 1/2 mile rich Bottom, Beech, Elm, Poplar &c

last 1/2 meadow land, timber same

North On E. boundary of Sec. 12, T2N, R6E

34.00 a W. Oak 8 in. diam. bear

40.00 Set gr. Sec. post, from which

a W. Oak 10 in. diam. bear N 58 E 12 lks. dist. &

a B. Oak 10 " " " S 24 E 13 " "

58.00 a Brook 6 lks. wide Course N.E.

80.00 Set post Cor. to Sec. 14 & 12, from which

a B. Oak 6 in. diam. bear S 50 W 43 lks. dist. &

Ch. 1st 1st

a W. Oak 18 in in. diam. bray N 24 E 51 lks. dist.
 This mile passes through fallen timber the whole
 way very thick with Aspen bushes and
 grape vines.

North On E. boundary of Sec. 1, T2N. R6E.

25.00 a poplar 10 in. diam.

40.00 Set of Sec. post, from which
 a Beech 16 in. diam. bray S 49 W 17 lks. dist. 1/2
 a Do 12 " " " N 13 W 22 " "

55.00 looped brook Course N.W.

62.00 Do. Do " N.W.

63.00 a Poplar 30 in. diam.

64.00 a Brook 4 lks. wide Course N.E. kept down it

75.00 leave the brook Course N.W.

80.00 Set post Cor. to Township, 2 & 3 North, Range
 6 & 7 East, from which

a Gum 16 in. diam. bray N 70 W 22 lks. dist. 1/2

a W. Oak 18 " " " N 54 E 24 " "

Generally good Oak land

Alexander Holmes

Deputy Surveyor

Subdivision Feb. 10th 1807

South Between Sec. 5 & 6, T2N. R7E

17.50 a Creek 20 lks. wide Course N.E.

38.45 a Beech 24 in. diam.

40.00 Set of Sec. post, from which
 a W. Ash 30 in. diam. bray N 59 E 32 lks. dist. 1/2
 an Elm 10 " " " S 71 E 28 " "

Over level 2^d rate land, timber Beech & oak

80.00 Set post, Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 18 in. diam. bray S 64 W 18 lks. dist. 1/2
 a Do 15 " " " N 33 E 58 " "

S. N. P. & E. D. Mer. Ind. ³⁵⁷

Ch. lks.

Over level 2nd rate land, timber Beech and Poplar

West On Rand^m between Sec. 6 & 7

36.50 a Creek 15 lks. wide Course N.

40.00 Set temp. q. Sec. post

80.00 Intersected the W. boundary 160 lks. South of post
Level 3rd rate soil, light timbered with Oak and Beech

East Corrected between Sec. 6 & 7

40.00 Set q. Sec. post at average dist. from which
a Beech 12 in. diam. bear N 13 W 27 lks. dist. &
an Elm 12 " " " S 49 W 37 " "

80.00 to Sec. Corner.

South Between Sec. 7 & 8

40.00 Set q. Sec. post, from which

a Beech 12 in. diam. bear N 40 W 4 lks. dist. &

a Do. 8 " " " S 60 E 20 " "

Over level 2nd rate land, timber Beech & Poplar

60.00 a Creek 15 lks. wide Course N 30 E

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which

a Beech 20 in. diam. bear S 76 E 37 lks. dist. &

a Do 18 " " " N 30 E 27 " "

Over level 2nd rate land, timber Beech, Oak and Poplar

West On Rand^m between Sec. 7 & 18

22.50 a Creek 20 lks. wide Course S. E.

40.00 Set temp. q. Sec. post. Over level 2nd rate land, timber Beech, Sugar & Ash

80.00 Intersected the W. boundary 50 lks. N. of post
Over level 3rd rate land timber has been

S. N. R. & E. 2^d. Mer. Ind.

ch. lks.

destroyed by a "Pigeon roost"

East Corrected between Sec. 7 & 18

40.00 Set q^r. Sec. post at average dist. from which
a Hickory 4 in. diam. bears N 20 E 7 lks. dist. &
a W. Oak 5 " " " S 20 W 7 " "

80.00 to Sec. Corner.

South Between Sec. 4 & 5

28.15 a Water Course 6 lks. wide E.

35.23 a Beech 20 in. diam.

40.00 Set q^r. Sec. post, from which
a Beech 12 in. diam. bears N 4 W 2 lks. dist. &
a B. Gum 12 " " " S 40 E 40 " "This last 1/2 mile is over hilly 2^d. rate soil
timber Beech Oak & Poplar

62.25 a W. Oak 20 in. diam.

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 15 in. diam. bears S 36 W 19 lks. dist. &
a Do 12 " " " N 26 E 34 " "
Over hilly 3^d. rate land, timber Beech & OakWest On Rand^m. between Sec. 5 & 8

6.25 a Stream 8 lks. wide Course S. W.

40.00 Set temp. q^r. Sec. post. Over hilly 2^d. rate
land, timber Beech, Oak & Poplar

56.40 a Creek 20 lks. wide Course N.

80.60 Intersected the N & S. line 60 lks. N. of post
Over level 2^d. rate land, Beech, Oak & Poplar

East Corrected between Sec. 5 & 8

40.30 Set q^r. Sec. post at average dist. from which
a Beech 8 in. diam. bears S 42 E 32 lks. dist. &
a Do. 12 " " " North 12 " "

S. N. R. E. 2^d Mer. Ind. 359

ch. lks.

80.60 to Sec. Corner.

South / Between Sec. 8 & 9

26.60 a Stream 20 lks. wide Course W.

29.50 a W. Oak 15 in. diam.

40.00 Set of Sec. post, from which
a Sugar 12 in. diam. beam N 81° W 10 lks. dist. &
a Dogwood 4 " " " N 37° E 15 " "

74.60 a Beech 14 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Maple 8 in. diam. beam S 47° E 7 lks. dist. &
a Beech 6 " " " N 38° W 33 " "

First 1/2 rolling 2^d rate - last 1/2 rolling 3^d rate
timber Beech, Oak and Poplar

South / Between Sec. 3 & 4

15.50 a Beech 10 in. diam.

35.70 a Brook 12 lks. wide Course N. W.

40.00 Set of Sec. post, from which
a Beech 15 in. diam. beam N 20° W 10 lks. dist. &
a Do. 20 " " " S 23° W 41 " "

67.75 a Beech 18 " "

80.00 Set post Cor. to Sec. 3 & 4, 9 & 10, from which
a Beech 18 in. diam. beam N 79° W 40 lks. dist. &
a Hickory 8 " " " S 59° E 37 " "

First 1/2 mile rolling 3^d rate - last 1/2 mile
rolling 2^d rate timber Beech, Oak & Poplar

West On Rand^m between Sec. 4 & 9

19.20 a Brook 10 lks. wide Course N. W.

23.00 a Do 12 " " " North

40.00 Set of Sec. post temporarily

80.44 intersected the N & S. line 30 lks. S. of post
First 1/2 mile rolling 2^d rate land last half

S. N. Ry E. 2^d. Mer. Ind.^a

ch. lkr.

rolling 3^d. rate, timb. Beech, Oak & Poplar

East Corrected between Sec. 4 & 9

40.22 Set gr. Sec. post at average dist. from which
 a Beech 15 in. diam. bear S 4 E 19 lkr. dist. of
 a Hickory 18 " " " N 45 W 4 " "
 80.44 to Sec. Corner.

South Between Sec. 9 & 10

26.00 a Stream 8 lkr. wide Course N 35 W
 31.85 a Beech 18 in. diam.
 40.00 Set gr. Sec. post, from which
 a Beech 18 in. diam. bear S 65 W 7 lkr. dist. of
 a Do 18 " " " N 50 E 18 " "
 Over hilly 2^d. rate Soil, timber Beech, Oak & Poplar
 63.45 a Beech 18 in. diam.
 67.50 a Stream 8 lkr. wide Course N. W.
 80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
 a W. Oak 15 in. dia. bear N 42 E 8 lkr. dist. of
 a Beech 20 " " " S 45 W 29 " "
 Over hilly 3^d. rate land timber Beech & Oak
 February 11th 1807

South Between Sec. 2 & 3

10.50 a Stream 8 lkr. wide Course N. W.
 29.55 a Hickory 24 in. diam.
 40.00 Set gr. Sec. post, from which
 a Beech 18 in. diam. bear S 2 E 24 lkr. dist. of
 a Do. 8 " " " N 47 W 18 " "
 Over level 2^d. rate land Beech, Oak & Poplar
 65.90 a Maple 24 in. diam.
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 20 in. diam. bear N 39 W 17 lkr. dist. of
 a Poplar 30 " " " S 39 E 18 " "

S 2 N N 7 E. 2^d. Mer. Ind.^a 361

ch. lks.

Over level 2^d. rate land, timber Beech,
Oak, Hickory & Poplar.

West On Rand^m between Sec. 3 & 10

40.00 Set temp. gr. Sec. post

80.10 Intersected the N & S. line 15 lks. N. of post
First 1/2 mile level 2^d. rate land timber Beech,
Oak & Poplar - last 1/2 mile over rolling 2^d.
rate soil, timber Same.

East Connected between Sec. 3 & 10

40.05 Set gr. Sec. post at average dist. from which
a W. Oak 20 in. diam. bear S 72 E 20 lks. dist. &
a Hickory 15 " " " N 63 W 14 " "

80.10 to Sec. Corner.

South Between Sec. 1 & 2

18.07 a Beech 15 in. diam.

21.00 a Stream 10 lks. wide Course West

40.00 Set gr. Sec. post, from which

a Beech 9 in. diam. bear S 81 W 21 lks. dist. &

a Do. 5 " " " N 80 E 15 " "

Over rolling 2^d. rate Soil, Beech, Oak & Poplar

48.20 a Brook 30 lks. wide Course N.W.

57.10 a Beech 18 in. diam.

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 30 in. diam. bear N 83 W 8 lks. dist. &
an Elm 15 " " " S 73 E 29 " "

Over rolling 2^d. rate land, timber Beech & Poplar.

East Between Sec. 1 & 12

4.47 Intersected the Grant, Set post, from which
a Dogwood 3 in. diam. bear S 55 E 18 lks. dist. &
a Beech 18 " " " N 52 W 20 " "

S 2 N R 7 E. 2.^d Mer. Indiana

Over rolling 1.st rate land timber Beech
& Poplar, thick underg.th of Spice

West On Range between Sec. 2 & 11

12.00 a Stream 10 lks. wide Course N.

40.00 At temp. q. Sec. post

79.90 Intersected the N & S. line 50 lks. S. of post

Over rolling 2.^d rate land, timber Beech,
Oak, & Poplar

East Corrected between Sec. 2 & 11

39.95 At q. Sec. post, at average dist. from which
a B. Gum 18 in. diam. beam S 16° W 6 lks. dist. &
a Beech 8 " " " North 7 " "

79.90 to Sec. Corner.

South Between Sec. 10 & 11

40.00 At q. Sec. post, from which

a Dogwood 5 in. diam. beam N 33° W 19 lks. dist. &

a Poplar 36 " " " S 37° E 20 " "

59.54 Intersected the Grant Set post at intersection
fac. Corner to Sec. 10 & 11, from which

a Hickory 12 in. diam. beam S 55° W 26 lks. dist. &

a do. 4 " " " N 70° E 10 " "

Over rolling 3.^d rate land Beech, Oak & Poplar.

South Between Sec. 11 & 12

3.14 Intersected the Grant, Set post at intersection
Cor. to Sec. 11 & 12, from which

a Dogwood 3 in. diam. beam N 26° E 19 lks. dist. &

a Beech 9 " " " S 33° W 14 " "

Rolling 2.^d rate land, Oak, Beech & Poplar

February 12th 1807

S. N. R. & E. 2.^d Mer. Ind.^a 363

ch. 1st lth.

West On Rand^m. between Sec. 9 & 16

40.00 Set temp^y. gr. Sec. post

Over hills 3.^d rate land timber Oak very light

80.36 Intersected the N & S. line 36 lth. S. of post

Over rolling 3.^d rate land Beech, Oak & Hickory

East Corrected between Sec. 9 & 16

40.18 Set gr. Sec. post at average dist. from which
a P. Oak 6 in. diam. bears N 36 E 33 lth. dist. &
a Do. 10 " " " S 59 W 25 " "

80.36 to Sec. Corner

West On Rand^m. between Sec. 8 & 17

40.00 Set temp^y. gr. Sec. post.

Over rolling 3.^d rate land, timber P. Oak & Hickory

44.50 a Brook 15 lth. wide Course N.

80.75 Intersected the N & S. line 60 lth. N. of post

Over level 3.^d rate land, timber light of
Oak & Hickory

East Corrected between Sec. 8 & 17

40.37¹/₂ Set gr. Sec. post at average dist. from which
a N. Oak 10 in. diam. bears S 59 W 6 lth. dist. &
a Do 10 " " " N 44 E 9 " "

80.75 to Sec. Corner.

South Between Sec. 17 & 18

33.50 a Stream 8 lth. wide Course W.

40.00 Set gr. Sec. post, from which

a Hickory 6 in. diam. bears S 35 E 11 lth. dist. &

a Do. 6 " " " N 47 W 16 " "

Over rolling 3.^d rate barren land very thick
undergrowth

80.00 Set post, Cor. to Sec. 17, 18, 19 & 20, from which

S 2 N. N 7 E. 2nd. Mer. Ind.^a

a P. Oak 6 in. diam. bray S 2 E 9th. dist. 3
 a Poplar 5 " " " N 13 W 10 " "
 Over level 3rd. rate land, large timber
 very thick undergth.

West On Rand^m. between Sec. 18 & 19
 40.00 Set temp. q. Sec. post. Over level 3rd.
 rate land, timber Beech & Oak
 80.40 Intersected the W. boundary 65th. N. of
 post. Over hilly 3rd. rate land very light
 timbered with Oak.

East Corrected between Sec. 18 & 19
 40.20 Set q. Sec. post at average dist. from which
 a W. Ash 15 in. diam. bray N 49 E 15th. dist. 5
 a Hickory 6 " " " N 68 W 3 " "
 80.40 to Sec. Corner.

South Between Sec. 19 & 20
 23.00 a Stream 5th. wide Course S. E.
 40.00 Set q. Sec. post, from which
 a W. Ash 4 in. diam. bray S 47 E 3th. dist. 5
 a W. Oak 4 " " " N 3 E 5 " "
 Over rolling 3rd. rate land, timber Oak, very
 thin and scrubby
 80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
 a P. Oak 18 in. diam. bray North 10th. dist. 5
 a W. Oak 15 " " " S 53 E 33 " "
 Over level 3rd. rate land, the timber has been
 all killed by the Pigeons and is very thick
 grown up with brush & weeds

South Between Sec. 16 & 17
 13.00 a Stream 6th. wide Course W.

S. N. R. & C. 2^d. Mer. Ind.^a 365

- ch. 1st 1/4
40.00 Set gr. Sec. post, from which
a W. Oak 6 in. diam. bran N 33 W 5 1/2 br. dist. 1/2
a Beech 7 " " " S 33 E 3 " "
Over hilly 3rd rate land, no large timber, thick
undergrowth of Scrub Oak,
80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
no witness, Can be taken, Over hilly 3rd rate
land, the timber has been destroyed by the Pigeons.

- East Between Sec. 10 & 15
9.00 a Stream 10 br. wide Course N. W.
40.00 Set gr. Sec. post, from which
a W. Oak 8 in. diam. bran North 2 br. dist. 1/2
a Poplar 18 " " " South 3 " "
51.90 Intersected the Grant Set post at intersection
pac. Cor. to Sec. 10 & 15, from which
a Poplar 36 in. diam. bran N 85 E 11 br. dist. 1/2
a W. Oak 9 " " " S 96 W 35 " "
Hilly 3rd rate land, Beech, Oak & Poplar

- South Between Sec. 15 & 16
26.50 a W. Oak 15 in. diam.
37.03 Intersected the Grant Set post at intersection
Cor. to Sec. 15 & 16, from which
a W. Oak 9 in. diam. bran S 26 E 40 br. dist. 1/2
a B. Oak 5 " " " N 41 W 27 " "
Over hilly 3rd rate land light timbered with
W. Oak & Scrub Oak - Thence from the above
S 54 1/2 W Corner - S 54 1/2 W. between the Grant & Sec. 16
47.70 to three White Oaks Corner to the Grant

- East Between Sec. 16 & 21
40.12 Set gr. Sec. post at average dist. from which
a W. Oak 6 in. diam. bran N 35 W 4 br. dist. 1/2

S. N. C. I. ^{2d} Mer. Indiana

Ch. Lk.

- a W. Oak 10 in. diam. N 45 W 30 Lk. dist.
 51.78 Intersected the Grant At post at intersection
 Cor. to Sec. 16 & 21, from which
 a W. Oak 8 in. diam. bears N 31 W 40 Lk. dist. &
 a Do. 6 " " " N 47 E 35 " "
 Sand hills 3rd rate, timber has been destroyed
 by the Pigeon - Thence from the above Cor.
 S 35 1/2 E between the Grant & Sec. 21
 48.07 to Corner between Sec. 21 & 22
 Thence from the above Cor. to Sec. 16 & 21
 N 35 1/2 W between Sec. 16 & the Grant
 18.50 to three White Oaks Cor. to the Grant (in S. Sec. 16.)

- West On Rand. between Sec. 17 & 20
 40.00 Set temp. gr. Sec. post
 Poor hilly land, timber has been destroyed
 by the Pigeon
 80.45 Intersected the N & S. line 7 Lk. S. of post
 Land &c. same as first half mile

- East Connected between Sec. 17 & 20
 40.22 gr. Sec. post at average dist. no bearings
 80.45 to Sec. Corner.

- South Between Sec. 20 & 21
 40.00 Set gr. Sec. post, no bearing trees the timber
 being all destroyed by the Pigeon
 65.50 a Stream 12 Lk. wide Course E.
 80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
 a W. Oak 15 in. dia. bears S 4 W 27 Lk. dist. &
 a Do. 18 " " " N 68 W 46 " "
 Over hilly 3rd rate land thinly timbered
 with W. Oak.

S. N. R. & E. 2nd Mer. Ind. 367

ch. lks.

West On Rand^m between Sec. 20 & 29

40.00 Set temp^y. gr. Sec. post

Over hilly 3rd rate land, timber W. Oak

80.32 Intersected N. boundary 55 lks. N. of post
Over hilly land timber Oak

East Corrected between Sec. 20 & 29

40.16 Set gr. Sec. post at average dist. from which
a W. Oak 12 in. diam. - bran S 61 E 37 lks. dist. &
a No. 10 " " " N 41 W 30 " "

80.32 to Sec. Corner.

West Between Sec. 19 & 30 on Rand^m

40.00 Set temp^y. gr. Sec. post

Over hilly 3rd rate land, timber Oak & Beech

80.60 Intersected N. boundary 50 lks. N. of post
This mile Over a large knot, timber Oak
Chednut & Yellow Pine.

East Corrected between Sec. 19 & 30

40.30 Set gr. Sec. post at average dist. from which
a Beech 8 in. diam. - bran N 53 E 42 lks. dist. &
a W. Oak 12 " " " N 80 W 12 " "

80.60 to Sec. Corner

South Between Sec. 29 & 30

0.75 a Brook 15 lks. wide Corner N.E.

40.00 Set gr. Sec. post, from which

a W. Oak 15 in. diam. - bran N 49 W 18 lks. dist. &

a No. 18 " " " S 49 E 4 " "

48.90 a No. 20 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32 from which
a W. Oak 4 in. diam. - bran N 82 E 3 lks. dist. &
a W. Oak 5 " " " S 82 W 4 " "

S 2 N R 7 E 2^d Mer. Indiana
 ch. 1st lhr.
 Overhilly 3^d rate land timber Oak.

West On Rand^m between Sec^s. 30 & 31

40.00 At temp^y. q^r. Sec. post

Overhilly 3^d rate land, timber Oak

41.15 a Brook 12 lhr. wide Course S. E.

81.10 Intersected the W. boundary 94 lhr. N. of
 post. Overhilly 3^d rate land Oak, timber

East Corrected between Sec^s. 30 & 31

40.55 At q^r. Sec. post at average dist. from which
 a Gum 8 in. diam. bean N 11 W 14 lhr. dist. &
 a Poplar 10 " " " S 8 E 17 " "

81.10 to Sec. Corner.

South Between Sec^s. 21 & 22

37.16 leave the Grant & set pac^d. post corner
 to Sec^s. 21 & 22, from which

a W. Oak 18 in. diam. bean N 8 W 49 lhr. dist. &

a Hickory 10 " " " S 4 E 20 " "

40.00 At q^r. Sec. q^r. Sec. post, from which

a Hickory 12 in. diam. bean S 4 W. 21 lhr. dist. &

a Do. 6 " " " N 85 E 22 " "

55.00 Intersected the Grant line 425 lhr. eastwardly
 of post marked V. from which

a P. Oak 24 in. diam. bean S 80 E 9 lhr. dist. &

an Ironwood 5 " " " N 5 E 20 " "

N 54¹/₂ E from the above post between the Grant & Sec. 22

10.35 to three White Oaks Corner to the Grant

Thence from the above Corner to the Grant

N 35¹/₂ W between the Grant & Sec. 22

14.00 to post Cor. to Sec^s. 21 & 22. Barreny like
 land little or no undergth.

S. N. R. & E. 2nd Mer. Ind. 369

Ch. 1st Ch.

East Between Sec. 21 & 28

40.00 Set of Sec. post, from which
no bearing trees could be marked for
the want of timber. This 1/2 mile is over
hilly knobby Barren

45.10 Intersected the Grant line 31 ch. North (easterly)
of post III bearings omitted
Land timber &c. same as on the last mile

South Between Sec. 28 & 29

33.11 Intersected the Grant line at post mk.
III Set post at intersection, from which
a W. Oak 6 in. diam. bear S 14 W 9 ch. dist. &
a do. 6 " " " S 89 E 23 " "
Poor land timber destroyed by Pigeons

South Between Sec. 31 & 32

9.70 Intersected the Grant line 550 ch. Northerly
of post Set at 95 chains - & Set post fac.
Cor. to Sec. 32 & 31, from which
a P. Oak 8 in. diam. bear S 44 E 5 ch. dist. &
a do 6 " " " N 71 W 27 " "
Level poor land, timber P. & W. Oak

East Between Sec. 29 & 32

10.85 Intersected the Grant line 19.50 ch. Northerly
from Cor. to Sec. 31 & 32, Set post, from which
a P. Oak 10 in. diam. bear N 28 E 5 ch. dist. &
a do 5 " " " S 34 W 20 " "
Land poor & level, timber P. & W. Oak

Grant Line, from line betw. Ranges 6 & 7 E.

N 54 1/2 E between the Grants Sec. 31

105.41 to Corner of Sec. 31 & 32

ch. 1st 1/2
 N 54 1/2 E Between the Grant & Sec. 32
 14.33 to Corner between Sec. 29 & 32

N 54 1/2 E Between the Grant & Sec. 29
 52.67 passed Corner between lots N^o 284 & 285 of Grant
 80.50 At post Cor. to Sec. 28 & 29, from which
 a W. Oak 6 in. diam. beam S 14 1/2 W 9 lks. dist. &
 a Do. 6 " " " S 89 E 23 " "

N 54 1/2 E between the Grant & Sec. 28
 62.84 to Corner of Sec. 21 & 28

N 54 1/2 E Between the Grant & Sec. 21
 31.84 a Branch of Silver Creek 30 lks. wide S 42 E
 53.34 a Branch of Do. Do. 25 " " S 33 E
 54.56 At post Cor. to Sec. 21 & 22, from which
 a W. Oak 4 in. diam. beam N 2 E 33 lks. dist. &
 a B. Oak 18 " " " S 6 W 28 " "

N 54 1/2 E between Sec. 15 & the Grant
 27.75 passed Cor. between Sec. lots N^o 293 & 294 of Grant
 63.77 At post Cor. to Sec. 10 & 15, from which
 a Poplar 36 in. diam. beam N 85 E 11 lks. dist. &
 a W. Oak 9 " " " S 96 W 35 " "

N 54 1/2 E between the Grant & Sec. 10
 31.00 passed Cor. to Lots N^o 294 & 295 of Grant
 34.73 At post Cor. to Sec. 10 & 11, from which
 a Hickory 12 in. diam. beam S 55 W 26 lks. dist. &
 a Dogwood 4 " " " N 71 E 10 " "

N 54 1/2 E between the Grant & Sec. 11
 41.00 a Branch of White River 10 lks. wide Course N 32 E
 97.50 At post Cor. to Sec. 11 & 12, from which

371

T2N R7E 2^d Mer. Indiana

ch. lkr.

a Dogwood 3 in. diam. bear N 26 E 19 lkr. dist. 5
a Beech 9 " " " S 33 W 14 " "

N 54 E between the Grant & Sec. 12

5.50 At post Cor. to Sec. 1 & 12, from which
a Dogwood 3 in. diam. bear S 55 E 18 lkr. dist. 5
a Beech 18 " " " N 52 W 20 " "

N 34 E between the Grant & Sec. 1

11.00 a Branch of White river 20 lkr. wide Course N 47 E

21.00 do. do. do. 12 " " " N 37 W

27.00 do. do. do. 20 " " " S 93 W

35.52 passed Cor. of N. 296 & 297 of Grant

96.84 At post Corner of Sec. 1, T2N R7E & Sec. 6.

T2N R8E, from which

a Beech 11 in. diam. bear S 42 E 25 lkr. dist. 5

a Gum 17 " " " N 30 W 24 " "

Surveyed in 1807 by Alexander Enos
Asst. Sur.

I Certify that the foregoing transcript of
field notes of Township N. 2, R. 7 East, 2^d Mer. Indiana, has been compared
with the Original notes in this Office and
found to be correct.

Surveyor General's Office

Cincinnati, Sept. 6, 1842

William Johnston

Sur. Genl.

Comp^d